

DRY BATH INCUBATOR BAC17-100



DRY BATH INCUBATOR BAC17-100

Compact design with stable operation, easy cleaning, replacement and disinfection of metal blocks. It is widely used for enzyme reactions, immunoassays, melting and boiling points, incubation and activation of cultures and variation of laboratory procedure. Flexible to accommodate a variety of interchangeable heating blocks.

Used in Pharmaceutical, Chemical, Food Safety, Environment, Quality inspection, Laboratory.

Also known as Laboratory Dual Temperature Dry Bath Incubator.

BAC17-100 DRY BATH INCUBATOR



SPECIFICATIONS

| | |
|------------------------------|------------------|
| Model | BAC17-100 |
| Capacity | 10 L |
| Function | Power adjustable |
| Temperature Range | R.T.+5°C~100°C |
| Temperature Control Accuracy | ±0.5°C |
| Cleaning Tank (LxWxH) | 300x240x150 mm |
| Outer Dimension (WxDxH) | 420x310x370 mm |
| Weight | 3 kg |
| Maximum Input Power | 400 |
| Maximum Output Power | 360 |
| Heating Power | NO |
| Power Adjustable (%) | 30-100 |
| Drain | YES |
| Level Control System | YES |

OPTIONAL ACCESSORIES

| Accessory Code | Name | Description |
|----------------|-------|-----------------------------|
| LS52215 | Block | 1.5/2.0ml adaptors (6/pack) |
| LS52228 | Block | 0.2 mL 24-well Block |
| LS52241 | Block | 0.5 mL 12-well Block |
| LS52254 | Block | 1.5 mL 6-well Block |

| Accessory Code | Name | Description |
|----------------|-------|---------------------------|
| LS52267 | Block | 2.0 mL 6-well Block |
| LS52280 | Block | 15 mL 6-well Block |
| LS52293 | Block | 50 mL 3-well Block |
| LS52306 | Block | 96-well/Flat Bottom Block |



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: info@biozef.com | Website: biozef.com