



DRY BATH INCUBATOR BAC19-100C

Compact design with stable operation, easy cleaning, replacement and disinfection of metal blocks. It is widely used for enzyme reactions, immunoassays, melting and boiling points, incubation and activation of cultures and variation of laboratory procedure. Flexible to accommodate a variety of interchangeable heating blocks.

Used in Clinical, General Chemistry, Preservation, Reactions of sample, DNA amplification, Initial Denaturation of electrophoresis, Laboratory.

Also known as Digital Heating Block, Laboratory Mini Dry Bath Incubator.

BAC19-100C DRY BATH INCUBATOR



SPECIFICATIONS

| Model | BAC19-100C |
|--|-------------------|
| Temperature Range | -10°C-100°C |
| Temperature Accuracy for lid | ±1°C |
| Maximum Temperature Difference at 40°C | ±0.5°C at 100°C |
| Display Accuracy | ±0.1°C |
| Outer Dimension (WxDxH) | 300Lx220Wx180H mm |
| Weight | 5 kg |

OPTIONAL ACCESSORIES

| Accessory Code | Name | Description | Capacity |
|----------------|---------|-----------------|-------------------|
| LS53745 | Block A | 40×0.2 ml | |
| LS53757 | Block B | 24×0.5 ml | |
| LS53769 | Block C | 15×1.5 ml | |
| LS53781 | Block D | 15×2.0 ml | |
| LS53793 | Block E | Used in Cuvette | 8–12.5x12.5x32 mm |
| LS53805 | Block F | 4x15 ml | |
| LS53817 | Block G | 2x50 ml | |



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: info@biozef.com | Website: biozef.com