

DRY BATH INCUBATOR BAC1C-100C1



DRY BATH INCUBATOR BAC1C-100C1

Compact design with stable operation, easy cleaning, replacement and disinfection of metal blocks. It is widely used for enzyme reactions, immunoassays, melting and boiling points, incubation and activation of cultures and variation of laboratory procedure. Flexible to accommodate a variety of interchangeable heating blocks.

Used in Clinical, General Chemistry, Preservation, Reactions of sample, DNA amplification, Initial Denaturation of electrophoresis, Laboratory.

Also known as Digital Heating Block, Laboratory Mini Dry Bath Incubator.

BAC1C-100C1 DRY BATH INCUBATOR



SPECIFICATIONS

Model	BAC1C-100C1
Temperature Range	0°C-100°C if Ambient Temperature ≤ 20°C 4°C-100°C if Ambient Temperature ≤ 25°C 10°C-100°C if Ambient Temperature ≤ 30°C
Temperature Accuracy for lid	±1°C
Display Accuracy	0.1°C
Temperature Control Accuracy	≤ ±0.3°C

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	Capacity
LS53745	Block A	40×0.2 ml	
LS53757	Block B	24×0.5 ml	
LS53769	Block C	15×1.5 ml	
LS53781	Block D	15×2.0 ml	
LS53793	Block E	Used in Cuvette	8-12.5x12.5x32 mm
LS53805	Block F	4x15 ml	
LS53817	Block G	2x50 ml	



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@biozef.com | Website: biozef.com