

AUTOMATIC NITROGEN AIR GENERATOR GEN51-0300



AUTOMATIC NITROGEN AIR GENERATOR

GEN51-0300

Nitrogen Air Generator produces a continuous flow of high purity Nitrogen at selected pressure. It is compact & also cost effective and the compressor for generating both the gases is common. Long service life, easy maintenance and performance makes it more efficient.

Used in GC-FID, FPD, NPD, TCD, AED, GC-MS, LC-MS-MS, ICP / NMR, FTIR / IR, ELSD detector, Purging, Ampule Filling, Thermal instruments, Turbo Evaporator (N2 Concentrator), All Analytical Instruments.

Also known as Laboratory Nitrogen Air Generator.

GEN51-0300 AUTOMATIC NITROGEN AIR GENERATOR

Stainless steel air tank inside

Deoxidization device

Output gas purity is higher

Inside machine use silicon rubber ring (lower content sulfur)

Increased gas output quality

Compact design, easy using, automatically operation, safety



SPECIFICATIONS

Model	GEN51-0300
Air Pressure	0.4 Mpa
Hydrogen purity	99.999%
Hydrogen Flow Rate	0-300 ml / min
Air Flow Rate	0-2000 ml / min
Hydrogen Pressure	0.4 Mpa
Dimension	470x260x380 mm
Net Weight	28 kg
Consumption Power	300 W



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: info@biozef.com | Website: biozef.com