

DESKTOP LAMINAR AIR FLOW LAF11-480S



DESKTOP LAMINAR AIR FLOW LAF11-480S

It has compact desktop design required for operations in an ultra clean, dust free environment. Used for a wide range of applications according to users need.

Used in Medical, Pharmaceutical, Research, Manufacturing areas, Electronic setors, Industrial sectors, Laboratory, Healthcare.

Also known as Benchtop Laminar Air Flow, Laminar Flow Cabinet, Clean Bench, Laboratory Laminar Flow, Laboratory Laminar Air Flow, Tissue Culture Hood, Laminar Air Flow Cabinet, Minimal-Turbulence Air Flow, Laminar Flow Cabinet, Laminar Flow Hood, Laminar Flow.

LAF11-480S DESKTOP LAMINAR AIR FLOW

Air speed adjustable.

Tabletop type, easy to carry and save space.

Microprocessor control system, LED Display.

HEPA filter with efficiency, 99.999% at 0.3um



SPECIFICATIONS

| | |
|---------------------------|---|
| Model | LAF11-480S |
| Type | Desktop Laminar Flow |
| Average Air Flow Velocity | ≥0.5m/s |
| HEPA Filter Efficiency | 99.99% efficiency at 0.3 μm |
| UV Lamp | 8 Wx1 |
| Fluorescent Lamp | 8 Wx1 |
| Max Opening | 310 mm |
| Front Window | Manual, 5 mm toughened glass, anti-UV |
| Chamber Material | Cold-rolled steel coated with anti-bacteria powder coating, Work table: Stainless Steel 304 |
| Standard Accessory | Fluorescent lamp*1, UV lamp*2 |
| Internal Size in (WxDxH) | 480x340x370 mm |
| Overall Dimension | 550x460x700 mm |
| Packaging Size | 700x610x830 mm |
| Display | LED |
| Noise Level | < 60 dB |
| Weight | 47 kg |
| Power | 100 W |
| Power Supply | AC 220 V±10%, 50/60 Hz; 110 V±10%, 60 HZ |
| Pre-Filter | Polyester fiber, washable |

ACCESSORIES

| Accessory Code | Name | Description |
|----------------|--------------------|-------------|
| LS54969 | UV Lampx2 | |
| LS55005 | Fluorescent lampx1 | |



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@biozef.com | Website: biozef.com