

# VERTICAL LAMINAR AIR FLOW LAF32-0630



# VERTICAL LAMINAR AIR FLOW LAF32-0630

Engineered to create a particle-free working environment and provide product protection. It is suited for use with non-hazardous contaminants and creates a clean work environment over a wide range of applications.

Used in Electronic sectors, Industrial sectors, Medical, Pharmaceutical, Healthcare.

Also known as Tissue Culture Hood, Laminar Air Flow Cabinet, Laboratory Laminar Flow, Laboratory Laminar Air Flow, Laminar Flow Cabinet, Minimal-Turbulence Air Flow, Laminar Flow Cabinet, Laminar Flow Hood, Laminar Flow.

## LAF32-0630 VERTICAL LAMINAR AIR FLOW

Microprocessor controller

Pre-filter: Polyester fiber, washable

UV Lamp: Emission of 253.7 nanometers



### SPECIFICATIONS

Model	LAF32-0630
Type	Vertical Laminar Flow
Average Air Flow Velocity	0.3~0.5m/s, air speed adjustable
HEPA Filter Efficiency	99.99% efficiency at 0.3 $\mu$ m
UV Lamp	15Wx1
Fluorescent Lamp	14Wx1
Caster	Universal wheel with leveling feet
Chamber Material	Cold-rolled steel coated with anti-bacteria powder coating, Work table: Stainless Steel 304
Standard Accessory	Fluorescent lamp, UV lamp*2, Water & gas tap
Internal Size in (WxDxH)	630x375x615 mm
Overall Dimension	680x410x1160 mm
Packaging Size	840x560x1380 mm
Display	LED
Noise Level	< 60dB
Weight	50 kg
Power	160 W
Power Supply	AC 220V $\pm$ 10%, 50/60 Hz; 110V $\pm$ 10%, 60HZ





**Biozef**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [info@biozef.com](mailto:info@biozef.com) | Website: [biozef.com](http://biozef.com)