

MULTI-PARAMETER ANALYZER MET101-100



MULTI-PARAMETER ANALYZER MET101-100

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

MET101-100 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

SPECIFICATIONS

Model	MET101-100
DC Voltage	
600 mV/6 V/60 V/600 V/1000 V	± (0.5%+3)
AC Voltage	
6 V/60 V	± (0.8%+3)
600 V/750 V	± (1%+10)
DC Current	
60 µA/600 µA/6 mA/60 mA/600 mA	± (0.8%+3)
10 A	± (1.2%+3)
AC Current	
60 µA/600 µA/6 mA/60 mA/600 mA/	± (1.0%+3)
20 A	± (1.5%+3)
Resistance	60 MΩ
Resistance(Ω)	
60 MΩ	± (1.2%+30)
Capacitance	100 mF
Frequency	10MHz
Duty	5 %~95 %
Temperature	Yes
Counts	6000 Counts
ACV/ACATRMS	Yes
ACV (bandwidth)	1 kHz
Continuity	Yes (Sound and LED Alarm)
Diode Test	Yes
Low Battery Indication	Yes

Work Light	Yes (High,Medium And Low) Sound And LED Alarm
NCV	Yes
Auto Power Off	Yes
Power Supply	4x1.5 V AA Batteries
Weight	Approx. 337.5/334 g
194x90x55 mm	Safety Standard/Rating



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: info@biozef.com | Website: biozef.com