

THERMOSTATIC DRYING OVEN OVE13-130



THERMOSTATIC DRYING OVEN OVE13-130

Heating Oven, Laboratory Drying Oven

Used in Drying, Baking, Disinfecting, Sterilization, Laboratory, Research, Engineering, Industry, Thermostat storage, Heating Storage.

Also known as Heating Oven, Laboratory Drying Oven.

OVE13-130 THERMOSTATIC DRYING OVEN

ALLSENSTM programmable PID control

ALLHEAT™ cavity warm-up technology

ALLFLOW™ perfect air current cycling

Pro-INSULATION™ Insulation technology

SUS304 stainless steel internal material

Build-in memory menu, real-time monitoring

Display parameters: Temperature, Air velocity, Run time, Run/Stop



SPECIFICATIONS

Model	OVE13-130
Capacity	130 L
Temperature Range	RT+5 – 250°C
Ambient Temperature	10-30°C
Temperature Accuracy	0.1°C
Temperature Fluctuation	±1°C(50 - 240°C)
Temperature Uniformity	2%(50 - 240°C)
Ambient Humidity	<70%
Timer Range	0-99 h or 0-9999 min
Convection Mode	Forced Convection
Internal Dimension (WxDxH)	550x550x450 mm
Overall Dimension (WxDxH)	770x780x693 mm
Package Size	890x860x780 mm
Shelves	2
Weight	65/69 kg
Power	1270 W
Power Supply	Single phase AC220V/50Hz



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: info@biozef.com | Website: biozef.com