

4°C BLOOD BANK REFRIGERATOR REF21-358



4°C BLOOD BANK REFRIGERATOR REF21-358

Designed as an essential piece of equipment in the immunohematology department and provides safe and convenient storage of whole blood, blood components, reagents and ensures freshness and integrity of blood and blood components. Microprocessor integrated system provides excellent temperature accuracy and reliable performance.

Used in Immunohematology Department, Blood Bank, Laboratory, Research, Medical, Pharmaceutical.

Also known as Laboratory Blood Bank Refrigerator.

REF21-358 4°C BLOOD BANK REFRIGERATOR

Vertical cabinet

Microprocessor-based temperature controller, Temperature range $4\pm 1^{\circ}\text{C}$

Large screen LCD display of temperature, display accuracy of $\pm 0.1^{\circ}\text{C}$

Polyurethane insulation is 80-95 mm

Forced air circulation system, defrost automatic

Digital display of upper and lower temperature

Audible and visual alarm

Exterior made from high quality steel plate, Interior is stainless steel

3-layer transparent door with lock, door with heater around to prevent ice leak.

5 Inner drawer (stainless steel)

Interior fluorescent light

The high-effective air-cooled condenser and the fin-type evaporator

Standard: Temperature printer

Optional: Chart recorder



SPECIFICATIONS

Model	REF21-358
Capacity	358 L
Temperature Range	$+4^{\circ}\text{C}$, $+2\sim+10^{\circ}\text{C}$
Refrigerant	R134a, CFC free
Refrigeration System	International famous compressor and Germany EBM fan motor.
Defrost Method	No frost design
Controller	Microprocessor Controller with LCD Display
Control Sensor	2
Alarms	High & low temperature alarm, No battery alarm, Door ajar alarm, Filter blocking alarm, System failure alarm
Shelves	5 units of drawers
External Size	700x628x1962 mm
Package Size	512x515x1270 mm
Power Supply	220V,50/ 60Hz, 110V,50/60Hz, 220V,50Hz/ 120V,60Hz



Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: info@biozef.com | Website: biozef.com