

PLATELET INCUBATOR



PLATELET INCUBATOR

Platelet Incubator is designed to store platelet concentrates in continues motion at a controlled temperature. It provides precise and steady storage conditions for maintaining the viability of platelet concentrates.

Used in Platelet preservation, Food processing industries, Scientific, Research, Medical, Health, Laboratory, Pharmaceuticals, Microbial culturing.

Also known as Laboratory Platelet Incubator.

INCC1 PLATELET INCUBATOR

Microcomputer temperature controller

LCD Display

'Set temperature' and 'Actual temperature' display on double screen, clear and straight forward.

Air forced convection design, ensures the temperature uniform in the chamber.

Over temperature / Low temperature alarm, abnormal shutdown power outage alarm.

Sets in exchange stomatal, to ensure that the air is fresh in the cabinet.

UV Lamp in the cabinet.

Automatic defrost function.

Big observation window, working condition will be clear at a glance.

Stainless steel inner chamber material, easy to clean.

Heat preservation material, uses polyurethane foam.

Closed type compressor.

Less noise.



SPECIFICATIONS

Model	INCC1-030	INCC1-060	INCC1-120
Capacity	10 floors (20-30bags)	10/15/20 floors (40-60bags)	double doors, 20 floors for each sides, total 40 floors (80-120bags)
Temperature Range	15-35°C		
Temperature Accuracy	±0.1		
Timer Range	0-999		
Variation (%)	±0.5		
Internal Dimention (WxDxH)	390x390x530 mm	590x390x820 mm	1090x390x950 mm
Overall Dimension (WxDxH)	670x600x1050 mm	670x600x1500 mm	1170x600x1750 mm
Tray Size (WxDxH)	480x300x390 mm	480x300x680 mm	980x300x810 mm
Weight	110 Kg	180 Kg	320 Kg
Power	0.5 KW	0.8 KW	1.35 KW





Biozef

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: info@biozef.com | Website: biozef.com